

| COMPONENT NESTS (RECTANGULAR) Sheet 1 |                |              |             |                |              |  |
|---------------------------------------|----------------|--------------|-------------|----------------|--------------|--|
| COMPONENT                             | COMPONENT      | NEST         | COMPONENT   | COMPONENT      | NEST         |  |
| OUTSIDE                               | OUTSIDE        | PART No.     | OUTSIDE     | OUTSIDE        | PART No.     |  |
| DIMENSION                             | DIMENSION      |              | DIMENSION   | DIMENSION      |              |  |
| (mm)                                  | (Inches)       |              | (mm)        | (Inches)       |              |  |
| 3.25 X 5                              | 0.128<br>0.197 | 9025-3646-00 | 7 x 11      | 0.276<br>0.433 | 9025-3170-00 |  |
| 3.5 X 4.5                             | 0.138<br>0.177 | 9025-3279-00 | 7 x 12      | 0.276<br>0.472 | 9006-1063-00 |  |
| 3.5 x 9                               | 0.138<br>0.354 | 9025-3491-00 | 7 x 21      | 0.276<br>0.827 | 9025-3423-00 |  |
| 4 x 5                                 | 0.157<br>0.197 | 9025-3154-00 | 7.28 x 10.9 | 0.287<br>0.429 | 9025-3710-00 |  |
| 4 x 6                                 | 0.157<br>0.236 | 9025-3184-00 | 7.5 x 10.2  | 0.295<br>0.402 | 9025-3700-00 |  |
| 4 x 9                                 | 0.157<br>0.354 | 9025-3495-00 | 7.5 x 11    | 0.295<br>0.433 | 9025-3567-00 |  |
| 4 x 11                                | 0.157<br>0.433 | 9025-3495-00 |             |                |              |  |
| 4 x 11.5                              | 0.171<br>0.242 | 9025-3714-00 |             |                |              |  |
| 4.35 x 6.15                           | 0.171<br>0.242 | 097-022-00   |             |                |              |  |
| 4.5 x 7.0                             | 0.177<br>0.275 | 9025-3599-00 |             |                |              |  |
| 5 x 6                                 | 0.197<br>0.236 | 9025-3618-00 | 7.5 x 55.5  | 0.295<br>2.179 | 9025-3243-00 |  |
| 5 x 7                                 | 0.197<br>0.276 | 9025-3566-00 | 7.5 x 55.5  | 0.295<br>2.179 | 9025-3243-00 |  |
| 5 x 8                                 | 0.197<br>0.315 | 1-14-36121   | 7.6 x 16.5  | 0.299<br>0.650 | 1-14-36276   |  |
| 5 X 10                                | 0.197<br>0.394 | 097-069-00   | 7.70 x 8.75 | 0.303<br>0.345 | 097-035-00   |  |
| 5 X 11.5                              | 0.197<br>0.463 | 9025-3283-00 | 8 x 9       | 0.315<br>0.354 | 1-14-36278   |  |
| 5 X 15                                | 0.197<br>0.591 | 9025-3769-00 | 8 x 9.5     | 0.315<br>0.374 | 9025-3802-00 |  |
| 5.5 x 6.5                             | 0.217<br>0.256 | 9025-3236-00 | 8 x 10      | 0.315<br>0.394 | 1-14-36123   |  |
| 5.5 x 8                               | 0.217<br>0.315 | 9025-3733-00 | 8 x 11      | 0.315<br>0.433 | 9006-0946-00 |  |
| 5.5 x 13.5                            | 0.217<br>0.532 | 1-14-30805   | 8 x 12      | 0.315<br>0.472 | 9025-3533-00 |  |
| 5.5 x 15                              | 0.217<br>0.591 | 9025-3425-00 | 8 x 13.0    | 0.315<br>0.512 | 9025-3632-00 |  |
| 5.5 x 16                              | 0.217<br>0.630 | 097-074-00   | 8 x 13.75   | 0.315<br>0.541 | 1-14-36301   |  |
| 5.6 X 13.6                            | 0.221<br>0.535 | 9025-3247-00 | 8 X 14      | 0.315<br>0.551 | 1-14-36226   |  |
| 6 x 7                                 | 0.236<br>0.276 | 1-14-36122   | 8 X 16      | 0.315<br>0.630 | 9025-3686-00 |  |
| 6 x 8                                 | 0.236<br>0.315 | 1-14-36268   | 8 X 20      | 0.315<br>0.787 | 1-14-20403   |  |
| 6 x 9                                 | 0.236<br>0.354 | 1-14-36266   | 8 X 27      | 0.315<br>1.063 | 9025-3673-00 |  |
| 6 x 10                                | 0.236<br>0.394 | 1-14-36213   | 8 X 39.8    | 0.315<br>1.568 | 1-14-36051   |  |
| 6 X 14                                | 0.236<br>0.551 | 9025-3619-00 | 8.1 X 15.1  | 0.319<br>0.594 | 9025-3153-00 |  |
| 6 X 23                                | 0.236<br>0.906 | 9025-3235-00 | 8.17 X 12.7 | 0.322<br>0.500 | 1-14-30909   |  |
| 6.35 x 7.75                           | 0.250<br>0.305 | 1-14-36206   | 8.5 X 13.5  | 0.335<br>0.531 | 1-14-20238   |  |
| 6.35 x 10.16                          | 0.250<br>0.410 | 9025-3477-00 | 9 X 11      | 0.354<br>0.433 | 9025-3286-00 |  |
| 6.35 x 29.08                          | 0.250<br>1.250 | 9025-3478-00 | 9 x 12      | 0.354<br>0.472 | 9025-3192-00 |  |
| 6.5 X 8                               | 0.256<br>0.315 | 9025-3620-00 | 9 x 13      | 0.354<br>0.512 | 1-14-36199   |  |
| 6.5 X 14.5                            | 0.256<br>0.571 | 097-040-00   | 9 x 15      | 0.354<br>0.591 | 9025-3531-00 |  |
| 6.6 x 8                               | 0.260<br>0.315 | 9025-3620-00 | 9 x 16      | 0.354<br>0.630 | 097-062-00   |  |
| 6.5 x 42                              | 0.256<br>1.654 | 9025-3577-00 | 9 x 22.5    | 0.354<br>0.886 | 9025-3982-00 |  |
| 7 x 8                                 | 0.276<br>0.315 | 9025-3778-00 | 9 x 50      | 0.354<br>1.969 | 9025-3983-00 |  |
| 7 x 9                                 | 0.276<br>0.354 | 9025-1389-00 | 9.3 x 11.5  | 0.366<br>0.453 | 1-14-30908   |  |
|                                       |                |              | 9.3 X15.1   | 0.366<br>0.595 | 097-079-00   |  |

| PARTS LOCATED IN "NOZZLE NESTS-OL" |           |                                 |              |  |           |           |              |
|------------------------------------|-----------|---------------------------------|--------------|--|-----------|-----------|--------------|
|                                    |           | <i>COMPONENT NESTS (SQUARE)</i> |              |  |           |           |              |
| COMPONENT                          | COMPONENT |                                 | NEST         |  | COMPONENT | COMPONENT | NEST         |
| OUTSIDE                            | OUTSIDE   |                                 | PART No.     |  | OUTSIDE   | OUTSIDE   | PART No.     |
| DIMENSION                          | DIMENSION |                                 |              |  | DIMENSION | DIMENSION |              |
| (mm)                               | (Inches)  |                                 |              |  | (mm)      | (Inches)  |              |
| 4                                  | 0.158     |                                 | 9025-3280-00 |  | 33.5      | 1.319     | 1-14-41039   |
| 5                                  | 0.197     |                                 | 1-14-36251   |  | 34        | 1.339     | 1-14-36014   |
| 6                                  | 0.236     |                                 | 1-14-36252   |  | 35        | 1.378     | 1-14-36015   |
| 7                                  | 0.276     |                                 | 1-14-36253   |  | 35.5      | 1.398     | 1-14-30910   |
| 7.2                                | 0.284     |                                 | 9025-3281-00 |  | 36        | 1.417     | 1-14-36016   |
| 7.4                                | 0.301     |                                 | 9025-3432-00 |  | 37        | 1.457     | 1-14-36017   |
| 7.5                                | 0.305     |                                 | 9025-3437-00 |  | 37.5      | 1.476     | 1-14-30689   |
| 8                                  | 0.315     |                                 | 1-14-36254   |  | 38        | 1.496     | 1-14-36018   |
| 9                                  | 0.354     |                                 | 1-14-36255   |  | 38.5      | 1.516     | 9025-3615-00 |
| 10                                 | 0.394     |                                 | 1-14-36256   |  | 39        | 1.535     | 1-14-36019   |
| 11                                 | 0.433     |                                 | 1-14-36257   |  | 40        | 1.575     | 1-14-36020   |
| 12                                 | 0.472     |                                 | 1-14-36045   |  | 41        | 1.614     | 1-14-36021   |
| 12.5                               | 0.492     |                                 | 1-14-36280   |  | 42        | 1.654     | 1-14-36022   |
| 13                                 | 0.512     |                                 | 1-14-36259   |  | 42.5      | 1.673     | 1-14-30284   |
| 13.4                               | 0.528     |                                 | 9025-3614-00 |  | 43        | 1.693     | 1-14-36023   |
| 14                                 | 0.551     |                                 | 1-14-36032   |  | 43.5      | 1.713     | 1-14-30865   |
| 15                                 | 0.591     |                                 | 1-14-36033   |  | 44        | 1.732     | 1-14-36024   |
| 16                                 | 0.630     |                                 | 1-14-36034   |  | 45        | 1.772     | 1-14-36025   |
| 17                                 | 0.669     |                                 | 1-14-36035   |  | 45.5      | 1.791     | 1-14-30917   |
| 17.5                               | 0.700     |                                 | 9025-3585-00 |  | 46        | 1.811     | 1-14-36026   |
| 18                                 | 0.709     |                                 | 1-14-36036   |  | 47        | 1.850     | 1-14-36027   |
| 19                                 | 0.748     |                                 | 1-14-36037   |  | 47.5      | 1.870     | 097-080-00   |
| 20                                 | 0.787     |                                 | 1-14-36038   |  | 48        | 1.890     | 1-14-36028   |
| 21                                 | 0.827     |                                 | 1-14-36039   |  | 49        | 1.929     | 1-14-36029   |
| 22                                 | 0.866     |                                 | 1-14-36001   |  | 49.5      | 1.949     | 1-14-30895   |
| 22.5                               | 0.886     |                                 | 1-14-20243   |  | 50        | 1.969     | 1-14-36030   |
| 23                                 | 0.906     |                                 | 1-14-36002   |  | 51        | 2.008     | 1-14-30804   |
| 24                                 | 0.945     |                                 | 1-14-36003   |  | 51.5      | 2.028     | 9025-3616-00 |
| 24.5                               | 0.965     |                                 | 9025-3747-00 |  | 52        | 2.047     | 1-14-30861   |
| 25                                 | 0.984     |                                 | 1-14-36004   |  | 52.5      | 2.067     | 097-081-00   |
| 25.4                               | 1.000     |                                 | 1-14-30911   |  | 53        | 2.087     | 1-14-30806   |
| 26                                 | 1.024     |                                 | 1-14-36005   |  | 53.5      | 2.106     | 9025-3617-00 |
| 27                                 | 1.063     |                                 | 1-14-36006   |  | 54        | 2.126     | 9025-3556-00 |
| 27.5                               | 1.083     |                                 | 9025-3779-00 |  | 56        | 2.205     | 1-14-30774   |
| 28                                 | 1.102     |                                 | 1-14-36007   |  | 56.5      | 2.224     | 9025-3750-00 |
| 29                                 | 1.142     |                                 | 1-14-36008   |  | 58        | 2.283     | 1-14-30807   |
| 30                                 | 1.181     |                                 | 1-14-36009   |  | 59        | 2.323     | 1-14-40744   |
| 31                                 | 1.220     |                                 | 1-14-36010   |  | 60        | 2.362     | 9025-3612-00 |
| 31.5                               | 1.240     |                                 | 9006-1072-00 |  | 61        | 2.402     | 1-14-40653   |
| 32                                 | 1.260     |                                 | 1-14-36011   |  | 63        | 2.480     | 1-14-40982   |
| 32.5                               | 1.280     |                                 | 9025-3424-00 |  | 64        | 2.529     | 9025-3438-00 |
| 33                                 | 1.299     |                                 | 1-14-36012   |  | 80        | 3.150     | 9006-1093-00 |

COMPONENT NESTS (Rectangular) Sheet 2

| COMPONENT<br>OUTSIDE<br>DIMENSION<br>(mm) | COMPONENT<br>OUTSIDE<br>DIMENSION<br>(Inches) | NEST<br>PART No.             | COMPONENT<br>OUTSIDE<br>DIMENSION<br>(mm) | COMPONENT<br>OUTSIDE<br>DIMENSION<br>(Inches) | NEST<br>PART No. |
|---|---|------------------------------|---|---|------------------|
| 9.5 X 17.5                                | 0.374   | 9025-3502-00                 | 11  | 0.433   | 1-14-30801       |
|   | 0.699   |                              | 23  | 0.906   |                  |
| 9.5 X 28                                  | 0.374   | 9025-3241-00                 | 11  | 0.433   | 1-14-30692       |
|   | 1.102   |                              | 34  | 1.339   |                  |
| 9.5 x 15                                  | 0.374   | 9025-3203-00                 | 11  | 0.433   | 1-14-30673       |
|   | 0.591   |                              | 72  | 2.835   |                  |
| 10 x 11.5                                 | 0.394   | 9025-3629-00                 | 11.3                                      | 0.445   | 9025-3670-00     |
|   | 0.453   |                              | 13.80                                     | 0.543   |                  |
| 10 x 12                                   | 0.394   | 1-14-20406                   | 11.5                                      | 0.453   | 1-14-36289       |
|   | 0.472   |                              | 14  | 0.551   |                  |
| 10 x 12.5                                 | 0.394   | 9025-3602-00                 | 11.68                                     | 0.460   | 9025-3611-00     |
|   | 0.492   |                              | 14.42                                     | 0.568   |                  |
| 10 x 13                                   | 0.394   | 1-14-36304                   | 12  | 0.472   | 1-14-36228       |
|   | 0.512   |                              | 13  | 0.512   |                  |
| 10 X 13<br>THRU                           | 0.394   | 9025-3259-00                 | 12  | 0.472   | 1-14-30706       |
|   | 0.512   |                              | 14  | 0.551   | 9025-3606-00     |
| 10 x 14                                   | 0.394   | 1-14-30736                   | 12  | 0.472   | 1-14-30747       |
|   | 0.551   |                              | 16  | 0.630   |                  |
| 10 x 15                                   | 0.394   | 1-14-30737                   | 12  | 0.472   | 9025-3764-00     |
|   | 0.591   |                              | 17  | 0.669   |                  |
| 10 x 16                                   | 0.394   | 9025-3570-00<br>(1-14-36217) | 12  | 0.472   | 097-007-00       |
|   | 0.630   |                              | 18  | 0.709   |                  |
| 10 x 20                                   | 0.394   | 1-14-30739                   | 12  | 0.472   | 1-14-30728       |
|   | 0.787   |                              | 19  | 0.748   |                  |
| 10  | 0.394   | 1-14-30740                   | 12  | 0.472   | 097-075-00       |
| 21  | 0.827   |                              | 20  | 0.787   |                  |
| 10  | 0.394   | 1-14-36316                   | 12  | 0.472   | 1-14-20239       |
| 23.5                                      | 0.925   |                              | 21  | 0.827   |                  |
| 10  | 0.394   | 1-14-30741                   | 12  | 0.472   | 1-14-30869       |
| 25  | 0.984   |                              | 23  | 0.906   |                  |
| 10  | 0.394   | 1-14-30766                   | 12  | 0.472   | 9025-3222-00     |
| 30  | 1.181   |                              | 24  | 0.945   |                  |
| 10  | 0.394   | 1-14-30899                   | 12  | 0.472   | 1-14-30695       |
| 45  | 1.772   |                              | 25  | 0.984   |                  |
| 10.5                                      | 0.413   | 1-14-36222                   | 12  | 0.472   | 1-14-30729       |
| 14  | 0.551   |                              | 27  | 1.063   |                  |
| 10.5                                      | 0.413   | 9025-3204-00                 | 12  | 0.472   | 1-14-30730       |
| 18  | 0.709   |                              | 29  | 1.142   |                  |
| 10.5                                      | 0.413   | 1-14-30921                   | 12  | 0.472   | 1-14-30864       |
| 28.5                                      | 1.122   |                              | 42  | 1.654   |                  |
| 10.9                                      | 0.439   | 9025-3479-00                 | 12  | 0.472   | 1-14-30644       |
| 12.4                                      | 0.500   |                              | 58  | 2.283   |                  |
| 11  | 0.433   | 1-14-30842                   | 12.5                                      | 0.492   | 9025-3648-00     |
| 12  | 0.472   |                              | 56.5                                      | 2.224   |                  |
| 11  | 0.433   | 1-14-30742                   | 12.9                                      | 0.508   | 1-14-30746       |
| 13  | 0.512   |                              | 21.2                                      | 0.835   |                  |
| 11  | 0.433   | 1-14-36125                   | 13  | 0.512   | 1-14-30731       |
| 14  | 0.551   |                              | 15  | 0.591   |                  |
| 11  | 0.433   | 1-14-30743                   | 13  | 0.512   | 1-14-36293       |
| 16  | 0.630   |                              | 17  | 0.669   |                  |
| 11  | 0.433   | 9025-3193-00                 | 13  | 0.512   | 9006-0928-00     |
| 17  | 0.669   |                              | 19  | 0.748   |                  |
| 11  | 0.433   | 1-14-30727                   | 13  | 0.512   | 1-14-30732       |
| 18  | 0.709   |                              | 20  | 0.787   |                  |
| 11  | 0.433   | 9025-3534-00                 | 13  | 0.512   | 097-005-00       |
| 19  | 0.748   |                              | 21  | 0.827   |                  |
| 11  | 0.433   | 1-14-30803                   | 13  | 0.512   | 1-14-30786       |
| 20  | 0.787   |                              | 22  | 0.866   |                  |
| 11  | 0.433   | 9025-3660-00                 | 13  | 0.512   | 1-14-20249       |
| 21.7                                      | 0.854   |                              | 22.5                                      | 0.886   |                  |
|   |   |                              | 13  | 0.500   | 1-14-30755       |
|   |   |                              | 23  | 0.906   |                  |

**COMPONENT NESTS (Rectangular) Sheet 3**

| COMPONENT | COMPONENT | NEST         | COMPONENT | COMPONENT | NEST            |
|-----------|-----------|--------------|-----------|-----------|-----------------|
| OUTSIDE   | OUTSIDE   | PART No.     | OUTSIDE   | OUTSIDE   | PART No.        |
| DIMENSION | DIMENSION |              | DIMENSION | DIMENSION |                 |
| (mm)      | (Inches)  |              | (mm)      | (Inches)  |                 |
| 13        | 0.500     | 1-14-41040   | 15.25     | 0.600     | 1-14-30902      |
| 24        | 0.945     |              | 25.25     | 0.994     |                 |
| 13        | 0.500     | 9025-3187-00 | 15.50     | 0.610     | 9025-3237-00    |
| 28        | 1.102     |              | 17.50     | 0.689     |                 |
| 13        | 0.500     | 1-14-20422   | 16        | 0.630     | 1-14-30851      |
| 37        | 1.457     |              | 18        | 0.709     |                 |
| 13        | 0.512     | 1-14-30733   | 16        | 0.630     | 1-14-30769      |
| 40        | 1.575     |              | 19        | 0.748     |                 |
| 13        | 0.512     | 1-14-30734   | 16        | 0.630     | 1-14-30693      |
| 63        | 2.480     |              | 22        | 0.866     |                 |
| 13.5      | 0.531     | 9025-3699-00 | 16        | 0.630     | 1-14-30796      |
| 17.5      | 0.689     |              | 24        | 0.945     |                 |
| 13.5      | 0.531     | 9006-0953-00 | 16        | 0.630     | 1-14-30853      |
| 21.5      | 0.846     |              | 25        | 0.984     |                 |
| 13.97     | 0.550     | 1-14-30906   | 16        | 0.630     | 1-14-30873      |
| 43.18     | 1.700     |              | 29        | 1.142     |                 |
| 14        | 0.551     | 9025-3705-00 | 16        | 0.630     | 9025-3984-00-LF |
| 20        | 0.787     |              | 32        | 1.260     |                 |
| 14        | 0.551     | 1-14-30255   | 16.4      | 0.646     | 1-14-30918      |
| 22        | 0.866     |              | 42.3      | 1.665     |                 |
| 14        | 0.551     | 1-14-30901   | 16.5      | 0.650     | 1-14-30798      |
| 24        | 0.945     |              | 30        | 1.181     |                 |
| 14        | 0.551     | 1-14-30735   | 16.5      | 0.650     | 1-14-30798      |
| 26        | 1.024     |              | 55        | 2.165     |                 |
| 14        | 0.551     | 9006-0885-00 | 16.5      | 0.650     | 1-14-30750      |
| 32        | 1.260     |              | 55.5      | 2.185     |                 |
| 14        | 0.551     | 1-14-30820   | 17        | 0.669     | 097-008-00      |
| 42.5      | 1.673     |              | 20        | 0.787     |                 |
| 14.5      | 0.571     | 9025-3528-00 | 17        | 0.669     | 1-14-30680      |
| 20.5      | 0.807     |              | 23        | 0.906     |                 |
| 14.5      | 0.571     | 1-14-30638   | 17        | 0.669     | 1-14-30793      |
| 26.5      | 1.043     |              | 33        | 1.299     |                 |
| 15        | 0.591     | 9025-3508-00 | 17        | 0.669     | 1-14-30862      |
| 17        | 0.669     |              | 34        | 1.339     |                 |
| 15        | 0.591     | 1-14-30715   | 17        | 0.669     | 1-14-20425      |
| 18        | 0.709     |              | 41        | 1.614     |                 |
| 15        | 0.591     | 9025-3568-00 | 17        | 0.669     | 9006-1025-00    |
| 21        | 0.827     |              | 43        | 1.693     |                 |
| 15        | 0.591     | 9025-3172-00 | 17        | 0.669     | 1-14-30775      |
| 25        | 0.984     |              | 44        | 1.732     |                 |
| 15        | 0.591     | 9025-3490-00 | 17        | 0.669     | 9025-3161-00    |
| 27        | 1.073     | 9025-3508-00 | 57        | 2.244     |                 |
| 15        | 0.591     | 1-14-30744   | 17        | 0.669     | 9025-5136-00    |
| 28        | 1.102     |              | 58        | 2.283     |                 |
| 15        | 0.591     | 1-14-30694   | 17        | 0.669     | 1-14-30675      |
| 29        | 1.142     |              | 68        | 2.677     |                 |
| 15        | 0.591     | 1-14-30983   | 17.34     | 0.683     | 097-014-00      |
| 42.5      | 1.673     |              | 32        | 1.260     |                 |
| 15        | 0.591     | 1-14-30642   | 17.34     | 0.683     | 1-14-30886      |
| 43        | 1.693     |              | 44.1      | 1.736     |                 |
| 15        | 0.591     | 1-14-30677   | 17.34     | 0.683     | 1-14-30754      |
| 55        | 2.165     |              | 55        | 2.165     |                 |

**COMPONENT NESTS (Rectangular) Sheet 4**

| COMPONENT OUTSIDE DIMENSION (mm) | COMPONENT OUTSIDE DIMENSION (Inches) | NEST PART No. | COMPONENT OUTSIDE DIMENSION (mm) | COMPONENT OUTSIDE DIMENSION (Inches) | NEST PART No. |
|----------------------------------|--------------------------------------|---------------|----------------------------------|--------------------------------------|---------------|
| 17.4                             | 0.685                                | 9025-3985-00  | 21                               | 0.827                                | 1-14-30725    |
| 24                               | 0.945                                |               | 26                               | 1.024                                |               |
| 17.45                            | 0.687                                | 1-14-30894    | 21                               | 0.827                                | 9025-3503-00  |
| 28.35                            | 1.116                                |               | 27.5                             | 1.083                                |               |
| 17.5                             | 0.689                                | 1-14-30797    | 21                               | 0.827                                | 1-14-30726    |
| 57                               | 2.244                                |               | 47                               | 1.850                                |               |
|                                  |                                      |               | 21.25                            | 0.837                                | 1-14-30903    |
|                                  |                                      |               | 25.25                            | 0.994                                |               |
|                                  |                                      |               | 21.30                            | 0.839                                | 9025-3312     |
|                                  |                                      |               | 24.21                            | 0.953                                | 9025-3504-00  |
| 17.78                            | 0.700                                | 9025-3476-00  | 21.30                            | 0.839                                | 1-14-36053    |
| 24.12                            | 0.950                                |               | 41.70                            | 1.642                                |               |
| 18                               | 0.709                                | 1-14-30636    | 21.40                            | 0.843                                | 9025-3314     |
| 24                               | 0.945                                |               | 24.50                            | 0.965                                |               |
| 18                               | 0.709                                | 097-001-00    | 21.5                             | 0.846                                | 1-14-30885    |
| 32                               | 1.260                                |               | 42                               | 1.654                                |               |
| 18                               | 0.709                                | 9025-3990-00  | 21.5                             | 0.846                                | 1-14-36355    |
| 33                               | 1.300                                |               | 60                               | 2.362                                |               |
| 18                               | 0.709                                | 1-14-30767    | 22                               | 0.866                                | 1-14-30757    |
| 45                               | 1.772                                |               | 26                               | 1.024                                |               |
| 18                               | 0.709                                | 1-14-30641    | 22                               | 0.866                                | 1-14-20427    |
| 55                               | 2.165                                |               | 32                               | 1.260                                |               |
| 18.5                             | 0.728                                | 1-14-30758    | 22                               | 0.866                                | 1-14-30784    |
| 26                               | 1.024                                |               | 40                               | 1.575                                |               |
| 18.5                             | 0.728                                | 1-14-30676    | 22                               | 0.866                                | 1-14-30855    |
| 28.5                             | 1.122                                |               | 58                               | 2.283                                |               |
| 19                               | 0.748                                | 1-14-30637    | 24.4                             | 0.961                                | 9025-3972-00  |
| 25                               | 0.984                                |               | 27.9                             | 1.098                                |               |
| 19                               | 0.748                                | 1-14-30863    | 24.5                             | 0.965                                | 1-14-30914    |
| 28                               | 1.102                                |               | 45                               | 1.772                                |               |
| 19.27                            | 0.759                                | 9025-3975-00  | 25                               | 0.984                                | 1-14-30293    |
| 27.18                            | 1.070                                |               | 32                               | 1.260                                |               |
| 20                               | 0.787                                | 9006-0884-00  | 25.05                            | 0.986                                | 1-14-30915    |
| 23                               | 0.906                                |               | 32.5                             | 1.280                                | 9025-3631-00  |
| 20                               | 0.787                                | 097-073-00    | 25.25                            | 0.994                                | 097-003-00    |
| 24                               | 0.945                                |               | 32.75                            | 1.289                                |               |
| 20                               | 0.787                                | 1-14-30922    | 25.5                             | 1.004                                | 9025-3631-00  |
| 27                               | 1.063                                |               | 32.5                             | 1.280                                |               |
| 20                               | 0.787                                | 9025-3263-00  | 26                               | 1.024                                | 9025-3582-00  |
| 41.7                             | 1.642                                |               | 29                               | 1.142                                |               |
| 20                               | 0.787                                | 9025-3492-00  | 26                               | 1.024                                | 1-14-30667    |
| 42.5                             | 1.673                                |               | 64                               | 2.520                                |               |
| 20                               | 0.787                                | 1-14-30696    | 27                               | 1.063                                | 1-14-30770    |
| 45                               | 1.772                                |               | 31                               | 1.220                                |               |
| 20                               | 0.787                                | 1-14-30773    | 27                               | 1.063                                | 9025-3504-00  |
| 59                               | 2.323                                |               | 34                               | 1.339                                |               |
| 20                               | 0.787                                | 9025-3264-00  | 28                               | 1.102                                | 9025-3572-00  |
| 59.2                             | 2.331                                |               | 37                               | 1.457                                |               |
| 20                               | 0.787                                | 1-14-36351    | 28                               | 1.102                                | 1-14-30704    |
| 60                               | 2.362                                |               | 48                               | 1.890                                |               |
| 21                               | 0.827                                | 9025-3426-00  | 28                               | 1.102                                | 9025-5134-00  |
| 25                               | 0.984                                |               | 51                               | 2.008                                |               |

| <b>COMPONENT NESTS (Rectangular) Sheet 5</b> |           |  |              |           |           |                       |
|--|-----------|--|--------------|-----------|-----------|-----------------------|
| COMPONENT                                    | COMPONENT |  | NEST         | COMPONENT | COMPONENT | NEST                  |
| OUTSIDE                                      | OUTSIDE   |  | PART No.     | OUTSIDE   | OUTSIDE   | PART No.              |
| DIMENSION                                    | DIMENSION |  |              | DIMENSION | DIMENSION |                       |
| (mm)   | (Inches)  |  |              | (mm)      | (Inches)  |                       |
| 29   | 1.142     |  | 9025-3504-00 | 42        | 1.654     | 097-026-00            |
| 34   | 1.339     |  |              | 46        | 1.811     |                       |
| 30   | 1.181     |  | 1-14-30814   | 42        | 1.654     | 9025-3338             |
| 40   | 1.575     |  |              | 50        | 1.969     |                       |
| 31   | 1.220     |  | 1-14-30691   | 42        | 1.654     | 1-14-36354            |
| 35   | 1.378     |  |              | 62        | 2.441     |                       |
| 31   | 1.220     |  | 1-14-30870   | 42        | 1.654     | 1-14-30674            |
| 43   | 1.693     |  |              | 64        | 2.520     |                       |
| 31   | 1.220     |  | 9025-3342    | 43        | 1.693     | 1-14-30794            |
| 47   | 1.850     |  |              | 53        | 2.087     |                       |
| 32   | 1.260     |  | 097-002-00   | 44        | 1.732     | 1-14-36352            |
| 37   | 1.457     |  |              | 62        | 2.441     |                       |
| 32   | 1.260     |  | 9025-3429-00 | 44        | 1.732     | 9025-3343             |
| 41   | 1.625     |  |              | 77        | 3.031     | (1/4"t)               |
| 32   | 1.260     |  | 9025-3246-00 | 45        | 1.772     | 9025-3630-00          |
| 48   | 1.890     |  |              | 54        | 2.126     |                       |
| 32.5   | 1.280     |  | 1-14-30643   | 46.5      | 1.831     | 9025-3679-00          |
| 42.5   | 1.673     |  |              | 52        | 2.047     |                       |
| 32.5   | 1.280     |  | 1-14-30912   | 47.5      | 1.870     | 1-14-30697            |
| 43.18  | 1.700     |  |              | 58        | 2.283     |                       |
| 32.87  | 1.294     |  | 1-14-30905   | 48.5      | 1.909     | 9025-3167-00          |
| 40.5   | 1.594     |  |              | 55.5      | 2.185     |                       |
| 33.2   | 1.307     |  | 1-14-30916   | 50.5      | 1.988     | 9025-3633-00          |
| 43.34  | 1.706     |  |              | 60.5      | 2.382     |                       |
| 34   | 1.339     |  | 1-14-30724   | 52        | 2.047     | 1-14-30785            |
| 45   | 1.772     |  |              | 54        | 2.126     |                       |
| 36   | 1.417     |  | 1-14-30782   | 53.86     | 2.120     | 9025-3431-00          |
| 39   | 1.535     |  |              | 65.9      | 2.594     | 1/4" thick            |
| 36   | 1.417     |  | 9006-1067-00 | 54        | 2.126     | 9025-3162-00          |
| 44   | 1.732     |  |              | 59        | 2.323     |                       |
| 36   | 1.417     |  | 1-14-30823   | 54        | 2.126     | 1-14-36357            |
| 46   | 1.811     |  |              | 63.5      | 2.500     |                       |
| 37   | 1.457     |  | 1-14-30919   | 54        | 2.126     | 1-14-41044            |
| 38.9   | 1.531     |  |              | 64        | 2.520     |                       |
| 37   | 1.457     |  | 9006-0911-00 | 54        | 2.126     | 1-14-36353            |
| 44   | 1.732     |  |              | 66        | 2.598     |                       |
| 37   | 1.457     |  | 1-14-30768   | 54        | 2.126     | 1-14-30671            |
| 52.5   | 2.067     |  |              | 68        | 2.677     |                       |
| 37.5   | 1.476     |  | 9025-3518-00 | 55        | 2.165     | 9025-3579-00          |
| 40   | 1.575     |  |              | 65        | 2.559     |                       |
| 38   | 1.496     |  | 1-14-30923   | 55        | 2.165     | 1-14-30666            |
| 41   | 1.614     |  |              | 70        | 2.756     |                       |
| 40   | 1.575     |  | 1-14-30920   | 56        | 2.205     | 9025-3430-00          |
| 50   | 1.969     |  |              | 61        | 2.402     | (1/4"t)               |
| 40.8   | 1.606     |  | 1-14-40980   | 57        | 2.244     | 9025-3344             |
| 44.7   | 1.760     |  |              | 69        | 2.717     | (1/4"t)               |
| 41   | 1.614     |  | 1-14-30765   | 58        | 2.283     | 9025-3419             |
| 46   | 1.811     |  |              | 71        | 2.795     | (1/4"t)               |
| 41   | 1.614     |  | 097-042-00   | 59        | 2.323     | offset<br>9025-3306   |
| 47   | 1.850     |  |              | 61.5      | 2.421     |                       |
| 41   | 1.614     |  | 9025-3682-00 | 59        | 2.323     | centered<br>9025-3307 |
| 51   | 2.008     |  |              | 61.5      | 2.421     |                       |
|  |           |  |              | 64        | 2.520     | 1-14-40649            |
|  |           |  |              | 70        | 2.756     |                       |

| PARTS LOCATED IN "NOZZLE NESTS-OL"        |   |  |                  |   |   |  |                     |
|---|---|--|------------------|---|---|--|---------------------|
| <i>COMPONENT NESTS (SQUARE - 45 DEG)</i>  |   |  |                  |   |   |  |                     |
| COMPONENT<br>OUTSIDE<br>DIMENSION<br>(mm) | COMPONENT<br>OUTSIDE<br>DIMENSION<br>(Inches) |  | NEST<br>PART No. | COMPONENT<br>OUTSIDE<br>DIMENSION<br>(mm) | COMPONENT<br>OUTSIDE<br>DIMENSION<br>(Inches) |  | NEST<br>PART No.    |
| 5   | 0.197   |  |                  | 33  | 1.299   |  | 1-14-41062          |
| 6   | 0.236   |  |                  | 33.5                                      | 1.319   |  | 1-14-41063          |
| 7   | 0.276   |  |                  | 34  | 1.339   |  | 1-14-41064          |
| 8   | 0.315   |  |                  | 35  | 1.378   |  | 1-14-41065          |
| 9   | 0.354   |  |                  | 35.5                                      | 1.398   |  | 1-14-41066          |
| 10  | 0.394   |  | 9025-3765-00     | 36  | 1.417   |  | 1-14-41067          |
| 11  | 0.433   |  |                  | 37  | 1.457   |  | 1-14-41068          |
| 12  | 0.472   |  |                  | 37.5                                      | 1.476   |  | 1-14-41069          |
| 12.5                                      | 0.492   |  |                  | 38  | 1.496   |  | 1-14-41070          |
| 13  | 0.512   |  |                  | 39  | 1.535   |  |                     |
| 14  | 0.551   |  |                  | 40  | 1.575   |  | 9025-3741-00        |
| 15  | 0.591   |  |                  | 41  | 1.614   |  | Requires 1/4" thick |
| 16  | 0.630   |  |                  | 42  | 1.654   |  | Requires 1/4" thick |
| 17  | 0.669   |  |                  | 42.5                                      | 1.673   |  | 097-000-00(1/4t)    |
| 18  | 0.709   |  |                  | 43  | 1.693   |  | 097-078-00(1/4t)    |
| 19  | 0.748   |  | 1-14-36186       | 43.5                                      | 1.713   |  | 097-078-00          |
| 20  | 0.787   |  | 1-14-41046       | 44  | 1.732   |  | Requires 1/4" thick |
| 21  | 0.827   |  | 1-14-41047       | 45  | 1.772   |  | Requires 1/4" thick |
| 22  | 0.866   |  | 1-14-41048       | 45.5                                      | 1.791   |  | Requires 1/4" thick |
| 22.5                                      | 0.886   |  | 1-14-41049       | 46  | 1.811   |  | Requires 1/4" thick |
| 23  | 0.906   |  | 1-14-41050       | 47  | 1.850   |  | Requires 1/4" thick |
| 24  | 0.945   |  | 1-14-41051       | 48  | 1.890   |  | Requires 1/4" thick |
| 25  | 0.984   |  | 1-14-41052       | 49  | 1.929   |  | Requires 1/4" thick |
| 25.4                                      | 1.000   |  | 1-14-41053       | 49.5                                      | 1.949   |  | Requires 1/4" thick |
| 26  | 1.024   |  | 1-14-41054       | 50  | 1.969   |  | Requires 1/4" thick |
| 27  | 1.063   |  | 1-14-41055       | 51  | 2.008   |  | Requires 1/4" thick |
| 28  | 1.102   |  | 1-14-41056       | 52  | 2.047   |  | Requires 1/4" thick |
| 29  | 1.142   |  | 1-14-41057       | 53  | 2.087   |  | Requires 1/4" thick |
| 30  | 1.181   |  | 1-14-41058       | 56  | 2.205   |  | Requires 1/4" thick |
| 31  | 1.220   |  | 1-14-41059       | 58  | 2.283   |  | Requires 1/4" thick |
| 31.5                                      | 1.240   |  | 1-14-41060       | 59  | 2.323   |  | Requires 1/4" thick |
| 32  | 1.260   |  | 1-14-41061       | 61  | 2.402   |  | Requires 1/4" thick |
|   |   |  |                  | 63  | 2.480   |  | Requires 1/4" thick |
|   |   |  |                  |   |   |  |                     |
|   |   |  |                  |   |   |  |                     |